

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 1765

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone num-  
ber : +49 8142 3051 517

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)


# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4      Revision Date: 06.12.2021      Date of last issue: 26.03.2018      Print Date: 06.12.2021  
Date of first issue: 30.03.2013

- Hazard pictograms : 
- Signal word : Warning
- Hazard statements : H226 Flammable liquid and vapour.
- Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.
- Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous emulsion  
Wax

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7  603-117-00-0	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336		>= 1 - < 10

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4      Revision Date: 06.12.2021      Date of last issue: 26.03.2018      Print Date: 06.12.2021  
Date of first issue: 30.03.2013

phosphoric acid	7664-38-2 231-633-2  015-011-00-6	Skin Corr.1B; H314 Eye Dam.1; H318	>= 25 % Skin Corr.1B, H314  10 - < 25 % Skin Irrit.2, H315  10 - < 25 % Eye Irrit.2, H319  Note B	>= 1 - < 3
bronopol (INN)	52-51-7 200-143-0  603-085-00-8	Acute Tox.4; H302 Acute Tox.4; H312 Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/1	>= 0.025 - < 0.1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema

Risks : Can be absorbed through skin.  
Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not let product enter drains.  
Container may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.  
Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4	Revision Date: 06.12.2021	Date of last issue: 26.03.2018 Date of first issue: 30.03.2013	Print Date: 06.12.2021
----------------	------------------------------	---	---------------------------

For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
Do not enter areas where used or stored until adequately ventilated.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Protect from frost.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
------------	---------	------------------	--------------------	-------

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version  
1.4

Revision Date:  
06.12.2021

Date of last issue: 26.03.2018  
Date of first issue: 30.03.2013

Print Date:  
06.12.2021

		of exposure)		
propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40 (2006-09-01)
		TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40 (2006-09-01)
phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Indicative			
		STEL	2 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Indicative			
		TWA	1 mg/m <sup>3</sup>	GB EH40 (2005-04-06)
		STEL	2 mg/m <sup>3</sup>	GB EH40 (2005-04-06)
		TWA	1 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Indicative			
		STEL	2 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Indicative			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2',2''-nitrilotriethanol	Workers	Dermal	Long-term systemic effects	6.3 mg/kg
	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	5 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2',2''-nitrilotriethanol	Soil	0.151 mg/kg
	Microbiological Activity in Sewage Treatment Systems	10 mg/l
	Fresh water	0.32 mg/l
	Marine water	0.032 mg/l
	Fresh water sediment	1.7 mg/kg
	Marine sediment	0.17 mg/kg

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.

### Personal protective equipment

Eye protection : Safety glasses with side-shields

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4	Revision Date: 06.12.2021	Date of last issue: 26.03.2018 Date of first issue: 30.03.2013	Print Date: 06.12.2021
----------------	------------------------------	---	---------------------------

### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

### Remarks

: Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

### Respiratory protection

: Not required; except in case of aerosol formation.

### Filter type

: Filter type A-P

### Protective measures

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : white  
Odour : characteristic  
Odour Threshold : No data available  
  
pH : 8.4 (20 °C)  
Concentration: 100 %  
  
Melting point/range : No data available  
Boiling point/boiling range : 100 °C  
Flash point : 49.5 °C



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 1,100 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1.02 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1.02 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

##### Components:

##### **propan-2-ol:**

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg

##### **bronopol (INN):**

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Acute oral toxicity : LD50 (Rat): 305 mg/kg  
Acute dermal toxicity : LD50 (Rat): 1,600 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

#### Product:

Remarks : Irritating to skin.

#### Components:

##### phosphoric acid:

Result : Causes burns.

##### bronopol (INN):

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

### Serious eye damage/eye irritation

#### Product:

Remarks : Irritating to eyes.

#### Components:

##### propan-2-ol:

Result : Irritating to eyes.

##### bronopol (INN):

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4	Revision Date: 06.12.2021	Date of last issue: 26.03.2018 Date of first issue: 30.03.2013	Print Date: 06.12.2021
----------------	------------------------------	---	---------------------------

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

#### Product:

Remarks : No data available

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **bronopol (INN):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - single exposure

#### Components:

##### **propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

##### **bronopol (INN):**

Exposure routes : Inhalation  
Target Organs : Respiratory organs  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

#### Components:

##### **bronopol (INN):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4	Revision Date: 06.12.2021	Date of last issue: 26.03.2018 Date of first issue: 30.03.2013	Print Date: 06.12.2021
----------------	------------------------------	---	---------------------------

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **bronopol (INN):**

This information is not available.

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **bronopol (INN):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 1.04 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.068 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0025 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 43 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 2.61 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.06 mg/l  
Exposure time: 21 d  
Species: Daphnia (water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### propan-2-ol:

Biodegradability : Result: Readily biodegradable.

#### bronopol (INN):

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **propan-2-ol:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0.05

##### **bronopol (INN):**

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-octanol/water : log Pow: 0.22 (20 °C)  
pH: 5.6 - 6.5  
Method: OECD Test Guideline 107  
GLP: yes

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version 1.4	Revision Date: 06.12.2021	Date of last issue: 26.03.2018 Date of first issue: 30.03.2013	Print Date: 06.12.2021
----------------	------------------------------	---	---------------------------

- Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Additional ecological information : No information on ecology is available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.
- Waste codes should be assigned by the user based on the application for which the product was used.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.
- The following Waste Codes are only suggestions:
- Waste Code : unused product  
12 01 09\*, machining emulsions and solutions free of halogens
- uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : P5c FLAMMABLE LIQUIDS

P5c

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 4.59 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of R-Phrases

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: "nitric acid ...%". In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H312 : Harmful in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H336 : May cause drowsiness or dizziness.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the follow-

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

ing type: "nitric acid ...%". In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours

2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture:

Flam. Liq. 3                      H226

### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## OKS 1765

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.4	06.12.2021	Date of first issue: 30.03.2013	06.12.2021

---

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.